

SCALETIPPER X1



HIGH ACCURACY | FULLY INTEGRATED SOLUTION USER-SPECIFIC AUTOMATED REPORTS

INTELLIGENT SMART-TECHNOLOGY



EUROPRESS SCALE SYSTEM

Europress SMART Scale System for tipping devices is a state-of-theart weighing system for waste compactors and waste handling. It is easy to operate and designed to meet various waste management requirements. The system is fully integrated and makes it easy to track the waste-flow of each user that's been granted access to the system.

The tipping devices can be used with bins from 140L to 1100L, and each and every bin will be weighed and registered in our SMART Scale system. The system allows multiple users and a wide range of reporting options.

Europress Scale System can be delivered to all Europress tipping devices and waste compactors which use the 2-phase tipping device. The turn-key system is fully integrated in the Europress SMART platform, both our website and our SMARTwaste APP.

| 01.09.2020 - 30.09.2020 | | | | DOWNLOAD AS EXCEL |
|-------------------------|--|---|--|---|
| PROPERTY GROUP | USER GROUP | WASTE FRACTION | NET WEIGHT (KG) | * |
| Shopping Mall | Group 1 | Plastic | 230 | |
| Grocery store | Group 1 | Plastic | 150 | |
| Hotel | Group 1 | Plastic | 90 | |
| Shopping Mall | Group 1 | Plastic | 370 | |
| | 01.09.2020 - 30.09.2020 PROPERTY GROUP Shopping Mall Grocery store Hotel | 01.09.2020 - 30.09.2020 PROPERTY GROUP USER GROUP Shopping Mall Group 1 Grocery store Group 1 Hotel Group 1 | 01.09.2020 - 30.09.2020 PROPERTY GROUP USER GROUP WASTE FRACTION Shopping Mall Group 1 Plastic Grocery store Group 1 Plastic Hotel Group 1 Plastic | 01.09.2020 - 30.09.2020 PROPERTY GROUP USER GROUP WASTE FRACTION NET WEIGHT (KG) Shopping Mall Group 1 Plastic 230 Grocery store Group 1 Plastic 150 Hotel Group 1 Plastic 90 |

| Maximum lifting weight (kg) | 440 | |
|-----------------------------|------------------------|--|
| Weight accuracy (kg) | 1.0 | |
| Lifting cycle time(s) | 35 | |
| Bin size options (I) | 140-1100 | |
| Reporting options | SMART / XLS / PDF | |
| Power supply | 400 V, 50 Hz, 3x C16 A | |

CAPACITY 1 3 3 PR 35 SEC

KEY FEATURES

CAPACITY OF 440 KG / DURABLE CONSTRUCTION OFF-CENTRE LOAD ADJUSTED / HIGH ACCURACY AUTOMATIC PERIODIC REPORTS

OPTIONAL ACCESSORIES

CUSTOM RAL COLOR / SAFETY BARS AND/OR SCREEN/CAGE LID OPENING SYSTEM (HYDRAULIC OR ELECTRONIC) ADDITIONAL CONTROLS E.G. EMERGENCY STOPS



EUROPRESS GROUP OY (LTD) / EUROPRESSGROUP.COM +358 20 737 3100 / EUROPRESS@EUROPRESS.FI HUHTIMONTIE 16, 04200 KERAVA, FINLAND

SECROPRESS

