




VERSAMAX

CUSTOMIZABLE COMPACTOR



**DESIGNED FOR EASIER COLLECTION OF MANY
WASTE- AND RECYCLABLE MATERIALS**

**INTELLIGENT SMART TECHNOLOGY
STANDARD CONTAINER SIZES 20–32 M³**



VERSAMAX

VersaMax is a easily customizable waste compactor designed to meet various needs of the waste and recycling industry customers. The speed, capacity and press power can be tailored according to the customers' needs and even upgraded afterwards as a retrofit with very affordable costs in case the usage or circumstances change over the lifetime of the product.

VersaMax can be fitted with a 2-part gate solution (both the compactor and container) that reduces littering and allows the usage of the feeding hopper even when the container is being emptied. The container fastening can also be made with hydraulics allowing a very efficient logistics in heavy use locations.

Even in the manual change procedure the container has a semi-automatic uncoupling solution and reset sequence to help the emptying process. VersaMax can also be tailored to difficult waste fractions, such as dry process reject waste and very large cardboard. For these cases the slightly longer VersaMax L with an exceptionally deep ram penetration will effectively minimize the littering during the container uncoupling process.

VersaMax waste compactor is excellent choice for sorting plants, printing houses, paper factories and local reloading stations for MSW*

Infeed aperture L x H (mm)	1,830 x 1,405
Compaction force (t)	up to 50
Press cycle time (s)	32–66
Capacity (cardboard) (m ³ /h)	up to 219
Motor (kW)	7.5 / 11*
Power supply	400 V, 50 Hz, 3x C32 A 400 V, 50 Hz, 3x C50 A* (C63 A Socket)

20 | 24
27 | 30
32 **M** **3**
CAPACITY

STANDARD ACCESSORIES

BLUE COLOR RAL 5017 / STANDARD FILLING HOPPER
LIFT HOOK REAR (CONTAINER) / FRONT ROLLERS ON CONTAINER (ROLL-OFF)
CONTAINER NOT PRESENT SWITCH (SAFETY LIMIT)
INTELLIGENT SMART TECHNOLOGY
EUROPRESS SMART CONNECTIVITY READINESS

OPTIONAL ACCESSORIES

CUSTOM RAL COLOR / GUIDE RAILS
ADDITIONAL CONTROLS E.G. EMERGENCY STOPS
CUSTOM FILLING HOPPER / 2-PHASE DISCHARGE DOOR OPENING MECHANISM
LONG HANDLE DISCHARGE DOOR OPENING MECHANISM
HYDRAULIC DISCHARGE DOOR OPENING MECHANISM
HYDRAULIC CONTAINER FASTENING SYSTEM
BIN LIFT (INTEGRATED / STATIONARY) / LID OPENING SYSTEM (HYDRAULIC / ELECTRIC)
CODE START SYSTEM / AUTO START SYSTEM
11 KW POWER UNIT / FLOATING ROOF CONTAINER 20–32 M³
CONTAINER CLOSING HATCH (HYDRAULIC VERTICAL HATCH)
RESERVE CONTAINER



EUROPRESS

SMART BALERS & COMPACTORS