

COMBI

VERSATILE WASTE COMPACTORS FOR EFFICIENT WASTE MANAGEMENT



CARDBOARD | PLASTIC | MIXED WASTE INTELLIGENT SMART-TECHNOLOGY STANDARD CONTAINER 10-20 M³



COMBI

The Europress Combi is a smaller version of the familiar CombiMax waste compactor. It is easy to operate and designed to meet various waste management requirements. Waste compactors are highly efficient alternatives to waste skips with up to 20:1 compression ratio.

Europress Combi waste compactor is a portable waste compactor, in which compacting units are attached to the containers. The multifunctional compactors are available in several standard container capacities: 10 m³, 14 m³, 17m³ and 20 m³.

Europress Combi can be supplied with a range of accessories e.g. bin lifts and rollers. Also available is the Combi Narrow which, as the name implies, is a narrower version of the Combi waste compactor. Special Low Feed variant is available with its infeed height lowered by 180 mm for easy loading from the ground level.





Infeed aperture W X H (mm)	1,500 x 900
Compaction force (t)	25
Press cycle time (s)	42
Capacity (m³/h) (cardboard)	69
Infeed height, ground level (mm)	1,480
Motor (kW)	5.5
Power supply	400 V, 50 Hz, 3x C16 A



STANDARD ACCSESSORIES

BLUE COLOR RAL 5017 / STANDARD FILLING HOPPER
LIFT HOOKS FRONT AND REAR / INTELLIGENT SMART TECHNOLOGY
EUROPRESS SMART CONNECTIVITY READINESS

OPTIONAL ACCESSORIES

CUSTOM RAL COLOR / GUIDE RAILS

ADDITIONAL CONTROLS E.G. EMERGENCY STOPS / ROLLERS FRONT AND REAR (ROLL-OFF)

CUSTOM FILLING HOPPER / DRAINAGE SYSTEM

2-PHASE DISCHARGE DOOR OPENING MECHANISM

LONG HANDLE DISCHARGE DOOR OPENING MECHANISM

TOP HINGED DISCHARGE DOOR / OZONE GENERATOR OR COOLER DEVICE (ODOR CONTROL)

BIN LIFT (INTEGRATED OR STATIONARY) / LID OPENING SYSTEM (HYDRAULIC OR ELECTRONIC)

CODE START SYSTEM / AUTO START SYSTEM

WATER PROOF SET UP / LOW FEED SET UP



